

## 2018 Model Year Standard Specification



### Principal Dimensions

#### Length overall (inc. pulpit):

66'11" (20.41m)

#### Length overall (exc. pulpit):

65'4" (19.92m)

#### Beam (inc. gunwale):

17'2" (5.24m)

#### Number of berths:

8 - 10

#### Draught:

4'6" (1.37m) unloaded

#### Height above waterline

(inc. arch & nav. light mast):

22'7" (6.89m)

#### Transport height:

18'6" (5.63m)

#### Dry weight (approx.):

32.37 imp. tons / 36.25 US tons  
(32,890kg)

#### Fuel capacity:

779 gallons / 936 US gallons  
(3,542 litres)

#### Water capacity (inc. calorifier):

254 gallons / 305 US gallons  
(1,154 litres)

### Hardtop Model

#### Height above waterline

(inc. arch & nav. light mast):

25'6" (7.81m)

#### Dry weight (approx.):

33.62 imp. tons / 37.65 US tons  
(34,160kg)

### Engines & Performance

#### Twin Caterpillar C18-1015 shaft drive, diesel (1,015mhp each):

30 knots maximum

#### Twin Caterpillar C18-1150 shaft drive, diesel (1,150mhp each):

32 knots maximum

#### Type Approval:

B

#### Twin MAN V8 1200 shaft drive, diesel (1,200mhp each):

32 knots maximum

#### Twin MAN V12 1400 shaft drive, diesel (1,400mhp each):

33 knots estimated maximum


#### Max Capacity:

18 persons



## Deck Plans

Flybridge



Main Deck



Lower Deck 3 Cabin



Lower Deck 4 Cabin





### Deck

Anchor	Rubbing strake
Anchor chain locker	Self-stowing Delta® anchor
Anchor winch controls	Stainless steel bow, spring & stern cleats
Calibrated anchor chain	Stainless steel bow fairleads
Deck wash outlets	Stainless steel grab rails on each transom wing
External covers to windscreen	Stainless steel handrails
Fender set	Stainless steel pulpit
Fender stowage	Starboard side access door
Full set of IMCO navigation lights	Teak laid bathing platform
Hot & cold water transom shower	Transom gate from cockpit to hi/lo bathing platform
Moulded non-slip deck surface	Twin horns
Recessed self-draining area on foredeck for coach-roof cushions	Water fillers
Coach-roof cushions for forward sundeck	Windscreen washers
Riding light	
Rigid swim ladder to bathing platform	

### Flybridge & Second Helm Position

12V heavy duty weatherproof socket	Echosounder & speedometer/distance log repeaters with sea water temperature read out
Adjustable/tilt steering wheel	Electronic single-lever throttle & gear controls for port & starboard engines
Adjustable bolstered helm seating	Ensign & staff
Bilge pump switches with integral operating warning lights & audible alarms	FAIRLINE EDITION melamine dinner service (24-piece, 6 place settings)
Bow thruster controls	FAIRLINE EDITION durable tumblers (set of 6)
Chaise Longue on port & starboard sides with adjustable backrest	Flybridge access hatch
Companion seating to helm	Flybridge bar with refrigerator, icemaker, sink & electric griddle
Day beds	
Dedicated dining seating with dining table	
Drinks holders	



### Flybridge & Second Helm Position

Continued

Furniture covers	Repeat flybridge engine instrumentation, controls & electronics
High speed magnetic compass	Rudder position indicator
Instrument covers	Stainless steel handrails
Large sunbathing area forward of helm position with non-absorbent foam-filled cushions	Storage unit housing waste bin
MP3 connector with 100w amplifier	Teak laid oversize flybridge steps
Moulded non-slip deck surface	Teak table
Powered steering	Trim tab controls
Radar arch/mast	VHF radio incorporating intercom
Remote anchor winch controls	Waterproof speakers
Remote control searchlight with controls at both helm stations	Wind-deflecting screen with grab rail
Repeat autopilot controls	

### Main Helm Position

12V socket	Garmin 7400 series digital multi-function instrument system with colour display
Access to deck via side door	Garmin GMR 404 Open Array Radar (4ft, 4kW)
Adjustable/tilt steering wheel	Garmin GPS 17x Antenna
Bilge pump switches with integral operating warning lights & audible alarms	Garmin GPSMAP® 6012
Bow thruster controls	Garmin VHF 300i marine radio
Chart table & light	High speed magnetic compass
Controls for engine bay fire extinguisher system	Mood lighting
Drinks holders	Powered steering
Electronic single-lever throttle & gear controls for port & starboard engines	Random teak floor
Foghorn with siren & loudhailer facility	Red night-light illumination to helm
Fuel gauges	Remote anchor winch controls
Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms & engine hour meters	Rudder position indicator
Garmin GHP 20 autopilot system with colour display	Searchlight controls
	Seat base stowage
	Trim tab controls
	Twin independent helm & co-pilot seats



## Electrical Systems

230 - 240V 50Hz

All 240V, 24V & 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel

Dimmer switches

Fire shutdown system

Heavy duty circuit breakers

Isolating switches to all batteries

Onan® 17.5 kW generator

### 12 Volt

Voltage dropper from domestic batteries

### 24 Volt

Batteries - 2 x heavy duty batteries exclusively for port engine starting

Batteries - 2 x heavy duty batteries exclusively for starboard engine starting

Batteries - 4 x heavy duty batteries wired in parallel supply for domestic services & port engine starting

Emergency battery coupling system permits each engine to start from opposite battery bank

### 240 Volt

Polarity check & earth leakage protection system

Power points throughout the yacht (fed from shore power or generator)

Regulated 75amp charger for domestic batteries

Shore power supply

Spare circuit breakers for optional equipment

## Aft Cockpit/Transom

3 stage opening aft door

12V heavy duty weatherproof socket

Access hatch to engine room & lazarette

Access hatch to optional aft crew cabin

Aft cockpit enclosure covers

Bathing platform lights

Blue LED lighting to cockpit

Boat hook

Flybridge steps

Flybridge access hatch

Life raft stowage

Manual bilge pumps

Mooring warps

Overhead handrail

Teak laid floor throughout self-draining cockpit

Teak table with 2 folding chairs

Warp lockers

White cockpit overhead lights

## Interior Décor

Choice of interior finishes from the Amalfi, Capri, Hamptons or St Tropez interior styling ranges selected by the Fairline Interior Design Team



## Hullform & Construction

All gel coat & glass fibre hand laid with unidirectional, biaxial & woven rovings

Antifouling protection to hull

Bow thruster

Deep 'V' forward; 18° deadrise aft

Design, layout & detailing by the Fairline Design Team.

Fire extinguisher

Full length moulded spray deflectors

Holding tanks with electric pump

Hull/deck join bolted & bonded

Hydraulic hi/lo bathing platform for tender launching & recovery

Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat

Polyurethane foam cores throughout deck for strength & thermal insulation

Propellers set in semi-tunnels allowing engines to be located further aft, reducing draught & improving efficiency with a reduced shaft angle

Thermal insulation to forward cabin & upper deck roof space

Transverse frames & longitudinal stringers throughout hull

## Main Saloon

32" TV with Harman Kardon® entertainment system & wireless connectivity

Drinks cabinets complete with 6 'Squadron' engraved lead crystal tumblers

First aid kit

Gold bullion venetian blinds

Handrail

LED ceiling lights

Power lift TV feature

Sideboard

Sliding door to cockpit

Sofa with storage lockers

## Dinette

2 cube stools

Dining seating for 6

Dining table with fold-out leaf

Gold bullion venetian blinds

## Galley

Avonite® work surface with covers

Combination oven/microwave

Crockery stowage

Electric induction hob

Extractor fan

FAIRLINE EDITION china dinner service & cutlery set

Fire extinguisher

First aid kit

Fridge Freezer

Miele dishwasher

Integrated waste bin

LED ceiling lights

Powerdrop window

Random teak floor

Refrigerator

Stowage cupboards & drawers

Timber cupboard doors

Twin sinks with hot & cold mixer tap

Work surface lights

## Companionway

Storage or utility space



## Accommodation

### Master Stateroom

32" TV with Fusion® AV700 & wireless connectivity  
Double bed with interior sprung mattress  
Drawers under bed  
Feature windows with opening portholes  
Full-height standing headroom  
Full length mirror

Full set of Heirlooms® fine bed linen including pillows & duvet  
Gold bullion venetian blinds  
LED ceiling lights  
Reading lights  
Twin bedside tables  
Upholstered bedhead  
Vanity unit/bureau with chair  
Wardrobe with cedar linings

### Master En Suite

220V/240V shaving point  
Avonite® vanity unit with locker & twin basins with hot & cold pressurised water  
Electric silent-flush freshwater toilet  
Extractor fan  
Feature windows with opening portholes  
Full set of bathroom fittings  
Full standing height shower with hinged door

Glass partition with venetian blinds  
Gold bullion venetian blinds  
LED ceiling lights  
Mirror  
Overhead lockers  
Random teak floor  
Shower tray automatic pump-out system  
Towel rail  
Towel set

### Forward Stateroom

Bedside stowage  
Double bed with interior sprung mattress  
Feature windows with opening portholes  
Full-height standing headroom  
Full length mirror  
Full set of Heirlooms fine bed linen including pillows & duvet

Gold bullion venetian blinds  
LED ceiling lights  
Large hatch with flyscreen & concealed blinds to foredeck  
Reading lights  
Skylight with electric blinds  
Upholstered bedhead  
Wardrobes

### Forward En Suite

220V/240V shaving point  
Avonite® vanity unit with locker & basin with hot & cold pressurised water  
Electric silent-flush freshwater toilet  
Extractor fan  
Feature window with opening porthole  
Full set of bathroom fittings

Full standing height shower with hinged door  
Mirror  
Random teak floor  
Shower tray automatic pump-out system  
Stowage locker  
Towel rail  
Towel set



## Starboard Guest Cabin

Bedside stowage  
 Drawers under bed  
 Feature windows with opening porthole  
 Full length berths x 2 with high-comfort interior sprung mattresses  
 Full length mirror  
 Full set of Heirlooms® fine bed linen including pillows & duvets

Gold bullion venetian blinds  
 Hanging locker with mirror  
 LED ceiling lights  
 Lockers (mid-level)  
 Reading lights  
 Wardrobe

## Port Guest Cabin

Full length bunks x 2 with high-comfort interior sprung mattresses  
 Full length mirror  
 Full set of Heirlooms® fine bed linen including pillows & duvet

Gold bullion venetian blinds  
 LED ceiling lights  
 Opening porthole  
 Reading lights  
 Wardrobe

## Guest Cabin En Suite

220V/240V shaving point  
 Avonite® vanity unit with locker & basin with hot & cold pressurised water  
 Electric silent-flush freshwater toilet  
 Extractor fan  
 Feature window with opening porthole  
 Frosted porthole

Full set of bathroom fittings  
 Full standing height shower with hinged door  
 Mirror  
 Random teak floor  
 Shower tray automatic pump-out system  
 Stowage locker  
 Towel rail  
 Towel set

## Day Head

Optional in lieu of port guest cabin

Avonite® vanity unit with locker & basin with hot & cold pressurised water  
 Electric silent-flush freshwater toilet  
 Feature windows with opening porthole

Full set of bathroom fittings  
 LED ceiling lights  
 Mirror  
 Random teak floor  
 Towel rail

## Utility Area

Optional in lieu of port guest cabin

LED ceiling lights  
 Random teak floor

Space for two domestic appliances

## Aft Utility Room

Aluminium opening portholes with flyscreen  
 LED ceiling lights

Power points  
 Timber flooring  
 Wet hanging area



## Aft Crew Cabin Optional

220V/240V shaving point  
Access to en-suite bathroom  
Aft crew cabin access from cockpit with stairs  
Air conditioning  
Aluminium opening portholes with flyscreen  
Electric silent-flush freshwater toilet  
Fire extinguisher  
Full set of Heirlooms® fine bed linen including pillows & duvets

Full standing height shower with hinged floor tray  
LED ceiling lights  
Mirror  
One fold-up berth & one fixed berth with drawers below  
Power points  
Random teak floor  
Shower proof curtains  
Sink with hot & cold mixer tap

## Engines & Sterngear

Access through cockpit hatch  
Automatic bilge pumps for forward bilge, engine bay & rudder bay with manual 'on' override  
Automatic engine bay fire extinguisher system with warnings at both helms  
Bow thruster  
Dripless shaft seals  
Electric engine bay fans  
Electric trim tabs with cathodic protection  
Engine bay lights  
Engine room soundproofing

Exhaust overheat warning system  
High capacity emergency manual bilge pump system with changeover valves  
High corrosion-resistant TEMET shafts  
Manganese bronze 'P' brackets  
Manganese bronze propellers contra-rotating  
Sea cocks on all inlets/outlets below waterline  
Water cooled engine exhausts with through hull outlets

## Fuel System

Fuel balance pipe  
High capacity water separators & fuel filters with audible alarms at lower helm

Individual fillers & vents to port & starboard  
Twin alloy fuel tanks

## Freshwater System

Automatic, pressurised supply  
Calorifier hot water system  
Manual override switch at lower helm

Water tanks

## Waste Water System

Holding tank with electronic macerator pump-out

## Air Conditioning & Heating Systems

Screen demist vents linked to air conditioning



## USA Specifications

Voltage - 2 x 110V (220V) 60Hz

**In addition to or in lieu of  
those listed above**

Whilst every effort is made to keep all sales literature up to date, it should not be regarded as an infallible statement of current specifications & does not constitute an offer for the sale of any particular boat. We continually seek to improve the specification & design of our boats, so alterations & upgrades to specifications take place continually.

Appointed dealers are not agents of Fairline Yachts Ltd & are not authorised to commit Fairline Yachts Ltd by any express or implied undertaking or representation.

Performance Figures: Power quoted in our literature for diesel inboard engines is crankshaft output.

Performance Estimates: Performance estimates are given in good faith, but are in no way guaranteed for any particular model. Dirt on the bottom of the boat, damage to the propellers, engine tuning, external water & air temperatures & the weight of crew, fuel & water carried can all adversely affect performance. For those & other reasons we can give no performance guarantees